



BEST AVAILABLE COPY













Fig. 2(c)













Fig. 4 (c)







Computer generated SAR plot of the 4.5mm applicator in cross section.

Fig. 6(b)





Fig. 7(a)



Fi'g. 7(c)

WO 2005/034783 PCT/EP2004/010928 6/14 802 204 В (a) 804 B> (b) 1 ,208 (c) 804

Fig. 8


(d)


204

Coaxlal cable


Aluminium ferrule


⊞ Delectric FEP






Monitor Mains Power










Fig.13





Fig.14

12 / 14








Fig.15



ρ,	P ₂	P3	ρ4	P5	106	177		PN
C,	C 5	C 3	Cų	;	1	C7	•••	<~
	(c2-c,)R	(c3-Cx) K	(c4-C3)R	(C5-C4)R	(C6-(5)R	(C1-C6)R	•••	(Cn-Cn-1)&
						(c)	<u></u>

Fig.17

WO 2005/034783 PCT/EP2004/010928



This Page is Inserted by IFW Indexing and Scanning Operations and is not part of the Official Record

BEST AVAILABLE IMAGES

Defective images within this document are accurate representations of the original documents submitted by the applicant.

Defects in the images include but are not limited to the items checked:
BLACK BORDERS
☐ IMAGE CUT OFF AT TOP, BOTTOM OR SIDES
☐ FADED TEXT OR DRAWING
☐ BLURRED OR ILLEGIBLE TEXT OR DRAWING
□_skewed/slanted images
COLOR OR BLACK AND WHITE PHOTOGRAPHS
☐ GRAY SCALE DOCUMENTS
☐ LINES OR MARKS ON ORIGINAL DOCUMENT
☐ REFERENCE(S) OR EXHIBIT(S) SUBMITTED ARE POOR QUALITY
Потика.

IMAGES ARE BEST AVAILABLE COPY.

As rescanning these documents will not correct the image problems checked, please do not report these problems to the IFW Image Problem Mailbox.